ELSEVIER

Marine Chemistry 69 (2000) 319–320

MARINE CHEMISTRY

www.elsevier.nl/locate/marchem

Contents Vol. 69 (2000)

Research Papers

Determination of conditional stability constants and kinetic constants for strong model Fe-binding ligands in seawater
A.E. Witter, D.A. Hutchins, A. Butler and G.W. Luther III 1

Marine barite and celestite saturation in seawater
A.I. Rushdi, J. McManus and R.W. Collier 19

Indirect reduction of hexavalent chromium by copper in the presence of superoxide
K.E. Abu-Saba, D.L. Sedlak and A.R. Flegal 33

In situ microsensor studies of a shallow water hydrothermal vent at Milos, Greece
F. Wenzhöfer, O. Holby, R.N. Glud, H.K. Nielsen and J.K. Gundersen 43

The chemical composition of Black Sea suspended particulate organic matter: pyrolysis-GC/MS as a complementary tool to traditional oceanographic analyses
Y. Çoban-Yıldız, G. Chiavari, D. Fabbri, A.F. Gaines, G. Galletti and S. Tuğrul 55

Development and comparison of methods for measuring heavy metal concentrations in coral tissues
G. Esslemont 69

Re-examination of cross-flow ultrafiltration for sampling aquatic colloids: evidence from molecular probes
L. Guo, L.-S. Wen, D. Tang and P.H. Santschi 75

Fish otolith reference material for quality assurance of chemical analyses
J. Yoshinaga, A. Nakama, M. Morita and J.S. Edmonds 91

Fate of wastewater-borne nutrients under low discharge conditions in the subsurface of the Florida Keys, USA
D.R. Corbett, L. Kump, K. Dillon, W. Burnett and J. Chanton 99

A geochemical record of eutrophication and anoxia in Chesapeake Bay sediments: anthropogenic influence on organic matter composition
A.R. Zimmerman and E.A. Canuel 117

Photogeneration of singlet oxygen and free radicals in dissolved organic matter isolated from the Mississippi and Atchafalaya River plumes
S.L.H. Sandvik, P. Bilski, J.D. Pakulski, C.F. Chignell and R.B. Coffin 139

A rapid and precise method for measuring stable carbon isotope ratios of dissolved inorganic carbon
G.G. Salata, L.A. Roelke and L.A. Cifuentes 153

Total dissolved nitrogen analysis: comparisons between the persulfate, UV and high temperature oxidation methods
D.A. Bronk, M.W. Lomas, P.M. Glibert, K.J. Schukert and M.P. Sanderson 163

Speciation of dissolved iodine in the waters of a humic-rich estuary
P.L.M. Cook, P.D. Carpenter and E.C.V. Butler 179

Carbonate removal by acidification causes loss of nitrogenous compounds in continental margin sediments
L. Lohse, R.T. Kloosterhuis, H.C. de Stigter, W. Helder, W. van Raaphorst and T.C.E. van Weering 193

Nitrous oxide in the Schelde estuary: production by nitrification and emission to the atmosphere
H.P.J. de Wilde and M.J.M. de Bie 203

Stoichiometry of the net ecosystem metabolism in a coastal inlet affected by upwelling. The Ría de Arousa (NW Spain)
F.F. Pérez, X.A. Álvarez-Salgado and G. Rosón 217

The distribution of $\delta^{13}C$ in total dissolved inorganic carbon in the central North Pacific Ocean along 175°E and implications for anthropogenic CO_2 penetration
Y. Takahashi, E. Matsumoto and Y.W. Watanabe 237
Sources of the transuranic elements plutonium and neptunium in arctic marine sediments
L.W. Cooper, J.M. Kelley, L.A. Bond, K.A. Orlandini and J.M. Grebmeier. 253
Distribution and air–sea gas exchange of dimethyl sulphide at the European western continental margin
G. Uher, G. Schebeske, R.G. Barlow, D.G. Cummings, R.F.C. Mantoura, S.R. Rapsomanikis and M.O. Andreae 277
Organic tracers from biomass burning in atmospheric particulate matter over the ocean
B.R.T. Simoneit and V.O. Elias 301

Author Index Vol. 69 313

Keyword Index Vol. 69 317

Contents Vol. 69 319